



BEARING INDUSTRIA CUSCINETTI S.P.A.

140 mm x 225 mm x 68 mm SNR
23128.EMW33C4 Double row spherical roller
bearings

Bearing No. 23128.EMW33C4

d	140 mm
D	225 mm
B	68 mm
D1	202 mm
rs min	2.1 mm
Number of lubrication holes	3
b	10.5 mm
k	5 mm
e	0.26
Y1	2.55
Y2	3.8
Y0	2.5
Radial clearance class	C4
Mass	11.3 kg
Dynamic load, C	802 kN
Static load, C0	1,030 kN
Fatigue limit load, Cu	76.6 kN
Nref	2,200 rpm
Nlim	2,800 rpm
Min operating temperature, Tmin	-40 ° C
Max operating temperature, Tmax	200 ° C
Characteristic cage frequency, FTF	0.44 Hz
Characteristic rolling	7.84 Hz

23128.EMW33C4 Bearing 2D drawings and 3D CAD
models



BEARING INDUSTRIA CUSCINETTI S.P.A.

element frequency, BSF	
Characteristic outer ring frequency, BPF0	9.64 Hz
Characteristic inner ring frequency, BRFI	12.36 Hz
da min	152 mm
Da max	213 mm
ra max	2 mm