



BEARING INDUSTRIA CUSCINETTI S.P.A.

160 mm x 270 mm x 86 mm SNR
23132EMKW33C4 Double row spherical roller
bearings

Bearing No. 23132EMKW33C4

d	160 mm
D	270 mm
B	86 mm
D1	239.8 mm
rs min	2.1 mm
Number of lubrication holes	3
b	13.7 mm
k	6 mm
Associated sleeve reference	H3132
e	0.29
Y1	2.35
Y2	3.5
Y0	2.3
Radial clearance class	C4
Mass	19.53 kg
Dynamic load, C	1,220 kN
Static load, C0	1,580 kN
Fatigue limit load, Cu	106 kN
Nref	1,800 rpm
Nlim	2,400 rpm
Min operating temperature, Tmin	-40 ° C
Max operating temperature, Tmax	200 ° C
Characteristic cage frequency, FTF	0.43 Hz

23132EMKW33C4 Bearing 2D drawings and 3D CAD
models



BEARING INDUSTRIA CUSCINETTI S.P.A.

Characteristic rolling element frequency, BSF	7.31 Hz
Characteristic outer ring frequency, BPF0	9.11 Hz
Characteristic inner ring frequency, BPFI	11.89 Hz
da min	172 mm
Da max	258 mm
ra max	2 mm